

# That CAD Girl – June Newsletter

Our June Newsletter can be downloaded [HERE](#)

---

## The Power of LandXML

The ability to import and export to LandXML has been around for quite awhile, but I still get a lot of curious looks when I mention it in my training classes. So, what is it? And why should you be using it?

### Why Should We Be Using It?

We've all become accustomed to saving archive copies of our drawings for various purposes but saving the corresponding project data is often overlooked. Retrieving the drawing file may allow you to recover proposed contours and profile grid, but the underlying "surface" is lost unless the project was also archived.

Importing and exporting using XML files is the most convenient way to convert, transfer and archive data created in Carlson Software, Land Desktop, Civil 3D, Eagle Point, TerraModel and, I'm sure, other programs.

### But, What Is LandXML?

LandXML refers to a file format (.xml) containing data created in a civil/survey program. My recommendation is that ALL civil and survey data should be archived – progress, submittal and

final archive – using LandXML.

The way I like to explain it is that we use XML files in the same way we used to rely on DXF files. They're mostly outdated now, but DXF files are a generic file format that, for example, we used to convert MicroStation DGN files to AutoCAD DWG files. At that time, AutoCAD couldn't read DGN files and Microstation couldn't read DWG files; but both could read DXF files. So, we had to convert our drawing files to the generic DXF format that could then be read into the other program.

Similarly, Carlson Software, Land Desktop, Civil 3D and the other programs create their own unique files for civil/survey project data such as points, point groups, surfaces, centerlines, profiles, etc. When we have to pass that data onto someone using a different civil/survey program – it's a nightmare!

That's where LandXML files prove their value.

Exporting your civil/survey data to an XML file breaks it all down into, basically, a text file. Specifically, it's an HTML file that can be viewed through a web browser such as Internet Explorer or Firefox. For instance, when a surface model (TIN) is exported to XML, the X, Y, Z values of each point on the TIN is assigned a number, and then each "face" (triangle) of the TIN is defined by specifying the 3 corners. See the examples below:

```
- <Surfaces>
- <Surface name="EG">
- <Definition surfType="TIN" area2DSurf="20450222.7849" area3DSu
- <Pnts>
  <P id="1">380922.103615 2506607.732735 41.2000</P>
  <P id="2">380958.246247 2506310.293473 41.8000</P>
  <P id="3">380859.633631 2506378.192599 41.5000</P>
  <P id="4">380838.498931 2506251.881151 41.9000</P>
  <P id="5">380882.693158 2505926.626756 39.1000</P>
  <P id="6">380718.271495 2505653.604033 40.5000</P>
```

```
<P id="718">378567.822385 2507508.683806 43.4271</P>
<P id="719">378259.641925 2508097.744016 24.9615</P>
<P id="720">378275.784642 2507466.855049 41.5605</P>
<P id="721">378330.412304 2507452.367010 42.2912</P>
<P id="722">378736.948749 2507695.651850 41.7908</P>
</Pnts>
- <Faces>
  <F>21 20 19</F>
  <F>713 104 106</F>
  <F>132 107 106</F>
  <F>12 11 10</F>
```

Note that one type of data that is currently not supported in XML files is typical cross-sections or template files.

Another benefit of using LandXML to transfer or archive project data is that any combination or all of your project data can be saved in a single XML file. This is valuable because exporting ALL of the data for a project can create a massive XML file.

Even if you archive your project data in its native format, you should consider additional archiving in XML format. No one knows what kind data files we'll be using 10 or 20 years down the road so saving your data in such a generic, text-based format such as XML files allows for easier retrieval down the road.

Originally posted on **Carlson Connection** by Jennifer Dibona

---

## A Closer Look at the Drawing Inspector

Learn more about using the Drawing Inspector to view data about drawing entities.

---

# More About IntelliCAD®

## **IntelliCAD – An Introduction**

The development of IntelliCAD is overseen by the IntelliCAD Technology Consortium, “an organization of CAD software developers, who develop applications for IntelliCAD, a Computer-aided design engine. The IntelliCAD engine, which is based on the DWGdirect library from the Open Design Alliance reads and writes the ‘.dwg’ data format – a widely used file format for storing both graphic and textual information of CAD-related software applications.”

The primary goals of the IntelliCAD Technology Consortium are to “research and develop CAD technology, the IntelliCAD platform, and to deliver CAD solutions to customers worldwide.” In other words, to provide the personal and commercial CAD markets with a cost-effective solution that is capable of reading and writing the common drawing (DWG) file.

The ITC is a non-profit, independent organization of commercial software developers (members). The ITC has an elected, volunteer, member based Board of Directors which guide its strategic vision. An independent (non-member) President manages the tactical business operations. Members pay annual dues that fund the ITC. Today the ITC has over 50 members who support 13 languages and ship product in more than 35 countries.

## **IntelliCAD – A Trip through Time**

Except where noted, each of the following items were obtained from An Outside Look in at IntelliCAD (used by permission) which requires the free Adobe Reader.

*"Where did the name come from? The name of the software 'IntelliCAD' comes from a programming company that was formed in the early 1990s in San Diego, CA, USA. Their main claim to fame was ADE (AutoCAD Data Extension), which they sold to Autodesk, and which eventually became part of Autodesk Map."*

*"IntelliCAD the software has a complex and fascinating history that winds its way through Softdesk, Autodesk, Boomerang, Visio, just missing Microsoft, then onto the IntelliCAD Technology Consortium, and now [includes] a variety of brand names, such as CADopia, Bricscad, and DWGEditor."*

- *1994, August: "IntelliCAD is purchased by Softdesk of Henniker, NH."*
- *1996, December: "Autodesk acquires Softdesk... Softdesk apparently did not tell Autodesk about its AutoCAD clone."*
- *1997, March: "Autodesk investigated by the FTC (Federal Trade Commission) over the alleged monopoly status of AutoCAD... The FTC allowed Autodesk to purchase Softdesk after Autodesk agreed to: (1) spin off IntelliCAD; (2) not attempt re-acquire the technology; (3) not attempt to acquire any company that owns or controls IntelliCAD; and (4) not interfere with employees who leave Autodesk to work with IntelliCAD... IntelliCAD was spun off as Boomerang Technology in San Jose, CA."*
- *1997, March: "Visio bought Boomerang."*
- *1998, March: "IntelliCAD 98 ships. The price was originally pegged at US\$495; upon release, the price dropped to \$349 as a 'special introductory price'; the price drops further to \$149 at computer superstores, such as CompUSA. Through to the end of June, the first three months of sales for IntelliCAD were nearly 12,000 licenses, producing \$3 million in gross revenue – an average of \$250 per license."*

- 1998, May: "IntelliCAD is suddenly incompatible with AutoCAD! Autodesk releases a maintenance release for AutoCAD R14.01 that makes a change to the .dwg format, and preventing IntelliCAD from reading drawing files... Visio updated IntelliCAD 98 to work with 14.01 files."
- 1999, July 27: "Visio cuts IntelliCAD loose by granting the IntelliCAD Technology Consortium a royalty-free, perpetual license for the source code of the IntelliCAD 2000 technology. The ITC was set up by Visio, but run by an independent board of directors."
- 1999, September: "IntelliCAD Technical Consortium opens its Web site at <http://www.intellicad.org/>."

Subsequent releases of IntelliCAD through the ITC occur every year since its initial release (see the IntelliCAD version history link under the *Press* section of the IntelliCAD Technology Consortium web site).

### ***IntelliCAD Release History***

- IntelliCAD 6.4 July 27, 2007
- IntelliCAD 6.3 February 28, 2007
- IntelliCAD 6.2 May 27, 2006
- IntelliCAD 6.1 September 5, 2005
- IntelliCAD 6.0 May 3, 2005
- IntelliCAD 5.1 January 12, 2005
- IntelliCAD 5.0 October 24, 2004
- IntelliCAD 4.0 March 14, 2003
- IntelliCAD 2001 version 3.3 July 19, 2002
- IntelliCAD 2001 May 22, 2001
- IntelliCAD 2000 March 6, 2000
- IntelliCAD 98 May 1, 1998

The Carlson 2009 installation comes with IntelliCAD 6.4 built-in. When you choose IntelliCAD as the CAD platform during installation, the IntelliCAD engine is installed along with the Carlson program files. Carlson 2009 only works with this built-in version of IntelliCAD and not on any other version of IntelliCAD or other IntelliCAD based products like Bricscad.

Running Carlson 2009 on IntelliCAD is largely the same as running on AutoCAD. IntelliCAD supports a development environment with a similar interface as AutoCAD which allows Carlson Software to use the same code base on both CAD platforms. Of the over 1700 Carlson commands across the Carlson 2009 products, there are 11 commands that are not supported with IntelliCAD for the Carlson 2009 release. These are:

- Editor Reactors (ie Link Points To Coordinate File)
- Point Object Snap (node snap does work)
- Text Explode To Polylines
- Edit Centerline On-Screen
- Extract Centroid Data
- Label Object Data Areas
- Drape Image On Surface
- Retaining Wall Placement
- Pillar Cut
- Calculate Variogram
- Production By Block Model

## **IntelliCAD – AutoCAD Comparison**

IntelliCAD has a very similar user interface as AutoCAD, supports the core AutoCAD commands and uses the DWG drawing formats 2009 to R14. For some Carlson commands, creating entities in AutoCAD is twice as fast as IntelliCAD which makes a significant difference in routines that create lots of entities.

The upcoming IntelliCAD 7 will be built on DWGdirect from the Open Design Alliance and will add a “DRX development environment” similar to ObjectARX with AutoCAD. Using DRX should greatly improve the speed of entity creation within IntelliCAD.

While most of the AutoCAD commands Carlson clients use in AutoCAD can also be found in IntelliCAD 6.4, there are many features in AutoCAD that are not in IntelliCAD. Among these features are ones for architectural and mechanical applications that don't apply to Carlson customers. For this initial release of Carlson 2009 on IntelliCAD 6.4, here are AutoCAD commands that Carlson customers might miss:

- Spell Check
- DGN import/export
- Orbit command
- Find command
- Express Tools
- Tool Palettes
- Annotative Text
- Sheet Set Manager
- Page Setup Manager
- Import .PC3 Files
- Irregular viewports
- Clipboard commands for copybase and paste to original
- VBA not supported for custom applications; VB with COM is supported
- Object Enablers for LDT points and contours
- User-interface for menu customizaiton (no CUI, old MNU method)
- Ctrl-pick cycle for object selection
- Dialog user interface for WBlock
- Dialog user interface for Purge command
- Dialog user interface for Filter command
- Right-Click menus



- Entity Properties as docked-dialog
- Grip snapping to other grips
- Highlighting of entities when dragging cursor over them
- Mudst hatch pattern

If you identify any other AutoCAD feature that you miss when running Carlson with IntelliCAD, please email us at [support@carlsonsw.com](mailto:support@carlsonsw.com) and we will add to this list which helps guide future developments.

## **Bibliography**

“IntelliCAD Technology Consortium – Wikipedia, the free encyclopedia”

Available

at: [http://en.wikipedia.org/wiki/IntelliCAD\\_Technology\\_Consortium](http://en.wikipedia.org/wiki/IntelliCAD_Technology_Consortium)

09 April 2008

“IntelliCAD® Technology Consortium: The intelligent alternative for CAD developers.”

Available at: <http://www.intellicad.org/join/index.php> 09 April

2008

“Natural monopoly – Wikipedia, the free encyclopedia.”

Available

at:

[http://en.wikipedia.org/wiki/Natural\\_monopoly#Regulation](http://en.wikipedia.org/wiki/Natural_monopoly#Regulation) 09

April 2008

“An Outside Look in at IntelliCAD.”

Available

at:

<http://www.intellicad.org/WorldMeeting2004/presentations/Outside>

[LookAtIntelliCAD.pdf](http://www.intellicad.org/WorldMeeting2004/presentations/OutsideLookAtIntelliCAD.pdf) 09 April 2008

Information in this document is subject to change without notice and does not represent a commitment on the part of the vendor.

IntelliCAD® is a registered trademark of the IntelliCAD

Technology Consortium, Inc. and is used under permission.

AutoCAD® is a registered trademark of Autodesk, Inc.

Windows® and Visio® are registered trademarks of Microsoft Corporation.

All other registered or unregistered trademarks are the property of their respective holders.

All links contained herein open in a new web-browser window.

---

## Another Twist for World

I'd like to offer a few other arguments for the use of the DVIEW TWIST routines discussed in North Rotation: Using Twist Screen. The four Carlson DVIEW routines cited:

1. **Standard** – *This option allows you to select a rotation angle using the mouse.*
2. **Line, Polyline or Text** – *This option allow you to select an object to set as a view baseline. It is the most useful when trying to match views to objects such as property lines or road centerlines.*
3. **Surveyor** – *This option prompts for the manual entry of a bearing or azimuth for the rotation angle.*
4. **Restore Due North** – *This option returns the screen to the orientation where North is straight up.*

fall right in line with remarks made by ESRI's Brent Jones at the 2009 Carlson User Conference who said:

*“GIS changes the whole domain for surveyors,” Jones added, “And surveyors need to be ready for what’s coming next – high accuracy GIS. The key is geo-referencing,” he said. “We can use our data to communicate to our world with greater precision over greater areas.”*

In my opinion, a **User Coordinate System** (UCS, by its very definition), takes the data one step further away from being geo-referenced. There are those that would probably argue that having data in a World Coordinate System (WCS) and at assumed coordinates of something like 5000,5000,100 is no better than using a UCS to shift this same data to a proper geo-referenced coordinate system. From a holistic stand-point, I’d tend to agree. However, what sets the WCS vs. UCS argument apart is this simple statement:

*All drawings must have a WCS yet not all drawings have a UCS.*

When one considers the longevity of information represented in drawings created to this point in time and then reflects on how this information might also be used in the future, I feel it is important to model that information (and subsequently allow that information to be easily extracted) in a consistent and reliable fashion. A **User Coordinate System** is typically only understood and used by its creator which in turn, limits its use and subsequently increases the risk of liability when the **User Coordinate System** isn’t known or understood by a “downstream” recipient of the drawing (survey stake-out, machine control excavation, etc).

**Side note observation...** Is it me or are there some parallels between UCS and custom ARX objects used in other products? When I look at how long the DVIEW vs. UCS arguments have been made, I can only surmise the length of time that will be involved to bring the non-proprietary vs. proprietary data argument to a

close. I suspect it's going to be a long, tough road.

In any event, it is my opinion that standardizing on a single WCS should provide more consistent deliverables when the drawings/projects span multiple people, offices and/or disciplines. When properly adopted, using a “twisted view” of geo-referenced data in a World Coordinate System should provide more feature-rich information now and into the future when our data is mapped onto the Earth.

Originally posted on **Carlson Connection** by Ladd Nelson

---

## **Working with Land Desktop or Civil 3D Contours in IntelliCAD-based Carlson Programs**

If you are working in an IntelliCAD version of Carlson Survey or Civil and need to bring in surface entities (contours) from a Civil 3D (C3D) or Land Desktop (LDT) drawing, it's actually very easy to do. However, it's not necessarily easy to find on your own. And, unfortunately, it's in a slightly different place depending on whether you're using the Carlson Survey or Civil menu.

FYI – If you simply try to “Open” a drawing that has AECC Contour Objects with an IntelliCAD-based program, it may look correct, but the entities will only be the dreaded “ACAD PROXY

OBJECTS” that have bogus elevations. These are only good to look at... not work with.

Whether you’re using Survey or Civil, the only thing you’ll need is a drawing file (DWG) containing the C3D or LDT contours for the surface. It doesn’t even need to be opened, you just need to have it and be able to find it. (hey, I’m getting old!).

First, start a new drawing in Carlson.

Then, if you’re using Carlson Civil:

1. Go to the “Surface” menu,
2. Select “Import/Export Surface”
3. Then, select “Convert LDT/Civil 3D Surface Drawing”.

If you’re using Carlson Survey:

1. Go to the “Surface” menu,
2. Select “Import/Export Surface Data”
3. Then, select “Convert Civil 3D Surface Drawing”.

Next, you’re prompted to “Select the LDT/Civil 3D Drawing to Read”. After browsing to and selecting the LDT or C3D file, pick “Open”.

Next, you’re prompted to to “Select Converted Drawing to Write”. This will be a new DWG file containing the converted data. After browsing to a new location and specifying a new file name, pick the “Save” button.

You’ll see the conversion process in the text window. Once finished, you can open the converted drawing.

What you will find in the new drawing are all of the entities from the original LDT/C3D drawing except that any AECC Contour Objects have been converted to elevated PLINES and LINES.

The first step you'll probably want to take after opening the new drawing is to join together all of the contour PLINEs and LINEs. You may want to "Isolate" the layers for the contours first.

Then use the "Join Nearest" command under the "Edit" menu. Like most cases, make sure to have the "Join Only Common Elevations" and "Join Only Common Layers" options selected.

Originally posted on **Carlson Connection** by Jennifer Dibona

---

## That CAD Girl – April Newsletter

Our April Newsletter can be downloaded [HERE](#)

---

## Carlson Software User Conference

The 2nd annual Carlson User Conference has wrapped up and was a success. And, even more fun, a lot of news was broken at the conference.

- **Dewberry** Case Study, "Choosing and Implementing Carlson Software"
- **ESRI** Announces Partnership with Carlson & Software Grant for Carlson's IntelliCAD Users

---

# Carlson + ESRI = Wow!

So, how cool is this?

At the Carlson User Conference this week in Lexington, KY, Brent Jones of ESRI announced a new grant program in coordination with Carlson Software. The program will bring ESRI products to every IntelliCAD-based Carlson program.

Speaking with Brent on Tuesday, he said that a few of the details have yet to be worked out, but Carlson IntelliCAD users should be hearing details in about a month.

Originally posted on **Carlson Connection** by Jennifer Dibona

---

## Carlson Software Expands Carlson College™

Carlson Software recently expanded their expert level training program, Carlson College™, and started the Carlson College Training Program. This new program will allow individuals and companies to get training direct from Carlson Software or through the members of the Carlson College Training Program. New members of the Training Program include Harken-Reidar Inc. of Front Royal, Va.; Carlson Desktop Solutions (CDS), based in Austin, Texas; That CAD Girl, located near Raleigh, N.C.; and, for C&G products only, Larry Phipps of the Land Surveyor's

Workshop in Jefferson, N.C. Membership in the Carlson College Training Program is available to any person or organization that makes a commitment to providing quality training on Carlson Software products.

For more information on the Carlson College Training Program or training, please contact Carlson Software at 800-989-5028, email [training@carlsonsw.com](mailto:training@carlsonsw.com) or visit [www.carlsonsw.com/training](http://www.carlsonsw.com/training). Members of the Carlson College Training Program are independent entities from Carlson Software.

Read the entire Press release [here](#).

Originally posted on **Carlson Connection** by Karen Cummings